




# ISTAKA

Elevating Landscapes, Transforming Cities

Bespoke Paving Collection - 2026

Connecting Architecture,  
Landscapes & Human Beings





# TABLE OF CONTENTS

01      11      21      57      87      91      111      135      137      139


<p><b>About</b></p> <p>Creating First Impression &amp; Leaving Lasting One</p> <p>Beyond Ordinary Outdoors</p> <p>Seamless Connect Between The Built And Unbuilt</p> <p>Enjoy Nature With Quality Hardscapes</p> <p>Environmentally Conscious Approach</p>	<p><b>Technology</b></p> <p>Overview</p> <p>The Block Machine</p> <p>Intelligent Curing System</p> <p>Finishes and Coatings</p>	<p><b>Paving</b></p> <p>Overview</p> <p>Products</p> <p>Product Details</p> <p>Key Features</p>	<p><b>Promoting Green Spaces With Permeable Surfaces</b></p> <p>Overview</p>	<p><b>Collaborating With Architects</b></p> <p>Collaborating With Architects</p>	<p><b>Verticals</b></p> <p>Overview</p> <p>Products</p> <p>Product Details</p> <p>Key Features</p>	<p><b>Edging &amp; More</b></p> <p>Overview</p> <p>Products</p> <p>Product Details</p> <p>Key Features</p>	<p><b>Product &amp; Applications</b></p> <p>Application</p>	<p><b>Services</b></p> <p>Istaka Limited Warranty</p> <p>Partnering With the Right Contractor for Every Job</p>	<p><b>Contact Details</b></p>
--	---	---	--	--	--	--	---	---	-------------------------------

# CREATING FIRST IMPRESSION AND LEAVING LASTING ONES

Well designed hardscaped area within the urban context creates positive first impressions. They set the tone, convey messages about a location's character and values, and invite people to engage with their surroundings. Thus, they play a vital role in forming the initial perception that individuals carry with them when they first encounter a place, be it a public space, a residential area, or community street.

ISTAKA 2025

BESPOKE PAVING COLLECTION



## BEYOND ORDINARY OUTDOORS

Well designed and maintained paths, hardscaped areas and seating areas in outdoor places improve accessibility & usability.



## SEAMLESS CONNECT BETWEEN BUILT AND UNBUILT

Harmonious integration of architectural structures with natural surroundings, fosters a symbiotic relationship. This synergy balances human needs with ecological preservation, blending design elements to enhance functionality, aesthetics and sustainability while respecting the integrity of the surrounding landscape.



## ENJOY NATURE WITH QUALITY HARDSCAPES

The landscape design has to evoke senses

Visual: Harmony between the built and unbuilt (enhance aesthetics of a place) complements natural elements.

Sound and Smell: The overlap of sounds of nature (with elements like water features, raindrops) and cohesive hardscaping; that amplify or dampen sounds. The aroma of wet soil and blooming flowers can be much appreciated through a comfortably accessible and pleasant place.

Touch: Play of texture for communication and definition of a space inspired by materials of earth.

Emotional wellbeing: A well designed outdoor space evokes a meditative feeling of peace, enthusiasm and nostalgia.





ISTAKA strives to support environmental friendly hardscaping by, utilizing advanced German Technology within its fully automated production lines managed optimally. These innovations enhance efficiency while prioritizing environment, minimizing ecological impact through high-density, low porosity products that significantly reduce material waste, showcasing Istaka's commitment to responsible manufacturing practices.

Furthering its environmental initiatives, Istaka advocates for the use of permeable pavements to manage stormwater effectively and enhance groundwater replenishment. This holistic approach underscores Istaka's dedication towards environment by establishing new benchmarks in ecological stewardship within the industry.

## ENVIRONMENTALLY CONSCIOUS APPROACH

# ISTAKA

TECHNOLOGY

## OVERVIEW

Istaka takes pride in being at the forefront of innovation by bringing top-tier German technology to the Indian market.

Our commitment to excellence is evident through our investment in three state of the art, fully automated production lines.


These advanced lines are not only a testament to our dedication but also a demonstration of our substantial annual capacity, which stands at an impressive 1.2 million square meters.





## THE BLOCK MACHINE


The Block Machine employ both vibration & pressure during the compaction process, resulting into rearrangement and compaction of particles within the material. This leads to a higher density of the material compared to traditional forming methods. The increased density contributes to improved mechanical properties, such as compressive and flexural strength, as well as resistance to penetration and deformation.




INCREASED DENSITY



ENHANCED HOMOGENEITY



REDUCED POROSITY



CONTROLLED SHAPING



HIGH COMPRESSIVE STRENGTH




IMPROVED SURFACE FINISH



CONTROLLED WATER-CEMENT RATIO



ENHANCED DURABILITY



CONSISTENT PRODUCT QUALITY

## INTELLIGENT CURING SYSTEM

### Exceptional Visual Impact

Precision curing prevents efflorescence and color variations, delivering consistent aesthetics regardless of humidity or temperature fluctuations.

### Uncompromising Quality

Controlled curing ensures uniform strength, durability, and product integrity, optimizing performance for long-lasting results.

### Superior Finishing & Dimensions

Accurate curing time enhances the finish & dimensional accuracy of every concrete product.

### Enhanced Density & Durability

Advanced curing techniques improve concrete density, ensuring superior resistance and extended product life.

### Strength From The Start

Curing locks in moisture, creating a dense, impermeable surface and achieving high early strength for efficient processing.

### Optimal Conditions for Excellence

Precise humidity and temperature control during curing maximize compressive strength and accelerate concrete maturity.






## FINISHES AND COATINGS



Our colour blending technology merges multiple colour pigments during the manufacturing process to create pavers with a variegated colour effect. This not only enhances aesthetic appeal of the concrete products but also conceals stains or discoloration that may develop, making pavers more durable and low maintenance.




Key features:

-  Blended color effect from multiple pigments.
-  Camouflages stains and discoloration.
-  Lowers maintenance and increases durability.



SilkCrete pavers undergo a unique process that cleans, smoothens, and polishes the surface, creating an elegant, refined texture that elevates both appearance and functionality. Designed for comfort, its silky surface is gentle on bare feet, offering a sensory experience. SilkCrete is for those who aspire to combine beauty, comfort, & sophistication in every detail of their spaces.



Key features:


-  Produces a smooth and polished surface
-  Clean and refined paver appearance
-  Provides a semi glossy, visually enhanced finish



The blasting process uses a machine to enhance paver safety by projecting steel 'shot' to texture surfaces for better slip resistance. The process is adjustable, offering various texture levels for different safety needs. Additionally, the base material is made highly dense, ensuring that the shot-blasted surface has a neat finish. This density locks the capillaries, reducing water absorption. Although a shot-blasted surface is rough and typically absorbs more foreign dust and water, the high density of the product prevents these issues, ensuring durability and ease of maintenance of concrete products.




Key features:

-  Improves slip resistance on Adjustable texture levels
-  Employs high-velocity steel shots



Moisture and dirt can penetrate the fine capillaries of the concrete products. Our CleanCrete system, integrated during production, provides permanent protection, preventing or reducing infiltration. CleanCrete penetrates and bonds with the pavers, offering superior resistance to weather conditions, spillages compared to other coatings. It enhances colour, increased hydrophobicity, & provides UV protection, ensuring a durable attractive and long-lasting finish which allows for quick and easy cleaning with water and mild agents, resulting in less frequent maintenance of pavers and slabs.

Key features:

-  Protects against weather and traffic.
-  Prevents infiltration by water and chemicals.
-  Shields the paver surface from damage.






## FINISHES AND COATINGS

### /Hydrophobic

The incorporation of high-quality imported hydrophobic admixtures in both the base and face mix of the pavers is an integral part of the production process. Additionally, the German curing process effectively blocks the capillaries in the concrete. This comprehensive process, combined with a dense concrete recipe, ensures that the products are thoroughly hydrophobic. The synergy of these methods results in a product that is not only hydrophobic due to the admixtures but also because of the overall production process.



Key features:

-  High-quality hydrophobic admixtures in base and face mix
-  German curing process blocks concrete capillaries
-  Dense concrete recipe ensures thorough hydrophobicity

### /Classic


Built for strength and longevity, ISTAKA's Classic Finish paving products combine a rugged aesthetic with unmatched durability. Designed to withstand heavy wear while retaining their timeless appeal, these robust products are perfect for high-traffic areas, offering a blend of resilience and elegance that lasts for years.



### /Vacuum Dewatering

ISTAKA's Vacuum Dewatering Technology (VDT) is an advanced concrete finishing solution designed to enhance surface strength, durability, and faster drying. This technology efficiently removes excess water from freshly poured concrete using a vacuum-based system, resulting in a denser and high-strength surface. It compacts the product with extreme High Pressure.





# PAVING

## Paving Stones

- WrightStone® - Slate
- WrightStone®
- Valerian
- SolStone®
- VolgaVista™
- MiesMatte®
- BrikWeave® - Classic
- BrikWeave® - Premier
- Quadra® Classic
- Quadra® Premier
- Hexz® Classic
- Hexz® Premier
- Uni

## Cobble Stones

- CorbuCobble®
- PianoPebble®

## Permeable & Grass Pavers

- AquaAldo™ - Classic
- AquaAldo™ - Premier
- SolStone®
- VolgaVista™
- EcoGrit®
- PianoPebble®
- VerdeVista™
- VerdeValerio™

## HD Pavers

- Alvaro HD™

## Slabs


- Gradieno®
- Tactile



# Paving Stones

# WrightStone® - Slate

Wrightstone Slate offers a refined stone finish look, drawing inspiration from natural slate to create a sophisticated and timeless appearance. It is a combination of three distinct stones that can be laid in four different patterns bringing flexibility and creativity to your design. The colors of Wrightstone Slate are derived from earthy elements and natural landscapes, reflecting tones found in nature. Exceptional shades include Mushroom, Blush Grey, and Brandy Oak, each evoking the serene beauty of mountains and organic materials. Wrightstone Slate is ideal for outdoor environments, offering a seamless blend with the natural world.



## Combination of 03 Stones | Sizes in mm (Length x Width x Height)

01-400x600x80

02-400x400x80


03-200x400x80

## Colours

Blush Grey



Brandy Oak



Mushroom




Olive Cloud




Earthen Mist



Subtle Ash




Raven




## Laying Pattern


Option 01




Option 02



Option 03



Option 04



## Applications

Walkway/Foothpath/Sidewalks | Driveway | Front-Yard/Back-Yard  
 Parking Area | Porch | Gardens | Open Spaces/Courtyards | Patio  
 Parks/Recreational Areas | Shopping Complex/Commercial Plaza

## Key Features

- Two Layer Concrete Structure
- Geometric Stone Shape
- Design in a rustic natural stone look
- Shaded colour image
- Hydrophobic Surface

## Technology



# WrightStone®

Wrightstone, Istaka's premium paver, is the epitome of elegance and functionality. It offers perfect size and proportion, creating a refined aesthetic. Three stones combine together to create a soft-paved application that minimises the effect of joints ensuring a seamless surface, ideal for pedestrian zones, large public areas, and wheelchair accessibility. Wrightstone is also perfect for poolsides, with a robust, slip-resistant surface that guarantees safety and style.



## Combination of 03 Stones | Sizes in mm (Length x Width x Height)

01-400x600x80

02-400x400x80


03-200x400x80

## Colours


Cafe Creme




Whispering Sand



Silken Taupe



Tiramisu



Mushroom




Earthen Mist




Twilight Grey



Subtle Ash




Raven




## Laying Pattern


Option 01




Option 02



Option 03



Option 04




## Applications

Walkway/Footpath/Sidewalks | Driveway | Front-Yard/Back-Yard  
 Parking Area | Porch | Gardens | Open Spaces/Courtyards | Patio  
 Parks/Recreational Areas | Shopping Complex/Commercial Plaza

## Key Features

- Two Layer Concrete Structure
- Geometric Stone Shape
- Hydrophobic Surface
- Facing Layer with Exclusive Raw Material

## Technology



# Valerian®


Valerian is the benchmark of premium concrete planks, featuring a linear pattern and clean lines. Crafted from a combination of five stones in different sizes, it adds depth and elegance to any space. Ideal for decks, entrances, and outdoor restaurants, Valerian is available in earthy and contemporary colors, offering a soft, modern aesthetic that enhances any outdoor setting.




## Combination of 05 Stones | Sizes in mm (Length x Width x Height)

01-477x117x80    02-357x117x80    03-277x117x80    04-637x157x80    05-477x157x80

## Colours



## Laying Pattern





## Applications

Walkway/Footpath/Sidewalks | Front-Yard/Back-Yard | Swimming Pool  
 Driveway | Parking Area | Porch | Gardens | Open Spaces/Courtyards  
 Patio | Parks/Recreational Areas | Shopping Complex/Commercial Plaza

## Key Features

- Two Layer Concrete Structure
- Geometric Stone Shape
- Subtle Colouring
- Hydrophobic Surface
- Sealed Surface with CleanCrete

## Technology



# SolStone®


Streets and driveways that use the SolStone pavers become modern, dynamic interpretations of old-world brick streets. Available in hues ranging from grey to brown and beige, the wide range of sizes provides options that frees designers from the limitations of traditional brick-laying patterns. With 12 different sizes, the round-edged SolStone Pavers operate with medium-traffic applications, making the aesthetically superior product suitable for large residences and a wide range of plazas and shopping experiences.




## Combination of 12 Stones | Sizes in mm (Length x Width x Height)

- 01-225x200x80    02-200x200x80    03-250x200x80    04-225x125x80    05-175x125x80
- 06-150x125x80    07-175x100x80    08-150x100x80    09-200x75x80    10-175x75x80
- 11-150x75x80    12-125x75x80

## Colours



## Laying Pattern




## Applications

- Walkway/Foothpath/Sidewalks | Front-Yard/Back-Yard | Driveway
- Parking Area | Residential/Society Streets | Shopping Complex/Commercial
- Plaza | Gardens | Open Spaces/Courtyards | Parks/Recreational | Patio

## Key Features

- Two Layer Concrete Structure
- Designed in Shaded Colour Image
- Facing Layer with Exclusive Raw Material
- Hydrophobic Surface
- Sealed Surface with CleanCrete

## Technology



# VolgaVista™


VolgaVista's strength lies in its innovative modular laying pattern, where carefully balanced size and proportion create a distinctive, unmatched design. The larger spacer size permits permeability or the integration of polymeric sand in varied colors, become an additional design feature. This versatility not only brings an environmentally conscious approach to your projects but also elevates the aesthetic appeal of outdoor spaces, making VolgaVista the perfect choice for embracing multiple design languages.




## Combination of 05 Stones | Sizes in mm (Length x Width x Height)

01-132x132x80    02-264x264x80    03-264x131x80    04-131x131x80    05-397x264x80

## Colours



## Laying Pattern



## Applications

Walkway/Foothpath/Sidewalks | Front-Yard/Back-Yard | Swimming Pool  
 Driveway | Parking Area | Porch | Shopping Complex/Commercial Plaza  
 Gardens | Open Spaces/Courtyards | Parks/Recreational Areas | Patio

## Key Features

- Two Layer Concrete Structure
- Designed in Shaded Colour Image
- Facing Layer with Exclusive Raw Material
- Hydrophobic Surface
- Sealed Surface with CleanCrete

## Technology



# MiesMatte®

Istaka's MiesMatte pavers are synonymous with refined taste and modern elegance. Characterized by their sleek, durable design and precise edges, these pavers are perfect for farmhouse projects, stylish modern homes, and forward-thinking amusement parks, commercial projects. MiesMatte stones seamlessly blend sophistication and resilience, creating a luxurious and enduring addition to any outdoor environment.



## Combination of 03 Stones | Sizes in mm (Length x Width x Height)


01-233x116.5x60

02-339.5x233x60


03-233x233x60

## Colours


Cafe Creme



Silken Taupe



Tiramisu



Mushroom



Earthen Mist



Twilight Grey



Subtle Ash




Raven




## Laying Pattern

Option 01



Option 02



## Applications

Walkway/Foothpath/Sidewalks | Cycle Track | Front-Yard/Back-Yard | Patio

Driveway | Parking Area | Porch | Shopping Complex/Commercial Plaza | Gardens

Open Spaces/Courtyards | Parks/Recreational Areas | Swimming Pool

## Key Features


- Two Layer Concrete Structure
- Geometric Stone Shape
- Flat Surface Texture
- Hydrophobic Surface
- Sealed Surface with CleanCrete
- Structured in Subtle Colouring

## Technology



# BrikWeave® - Classic

BrikWeave Classic brings timeless brick designs to life in concrete, making it a versatile and stylish choice for various applications. BrikWeave Classic offers a perfect blend of visual harmony and functionality. Its classic timeless design is available in multiple patterns, including Running Bond, Herringbone, and Basket Weave. Moreover, it is offered in multiple thicknesses to accommodate varying vehicular load capacities and can be utilized for edge definition, making it an all-encompassing solution for diverse paving requirements.



Offered in a range of 03 Sizes | Sizes in mm (Length x Width x Height)


01-200x100x60

02-200x100x80

03-200x100x100

## Colours

Soft Grey



Light Charcoal



Dark Charcoal




Void Black




Beige Grey



Oasis Beige



Redwood




Dark Brown




## Laying Pattern


Option 01



Option 02



Option 03




## Applications

Heavy Traffic Area | Cycle Track | Driveway | Parking Areas | Site Setbacks | Residential/Society Streets | Borders and Accents | Parks/Recreational Areas

## Key Features

- Two Layer Concrete Structure
- Geometric Stone Shape
- Even Surface Texture
- Plain Colouring
- Facing Layer with Exclusive Raw Material
- Classic Timeless Design

## Technology



# BrikWeave® – Premier

BrikWeave Premier combines a rectangular refined surface with a long-lasting texture, ideal for enhancing the look and durability of outdoor areas. The rich, earthy hues of Firebrick, Cinnabar, and Smoked Scarlet in the premium colour blends make it a standout choice. Versatile and suitable for vernacular projects, Engineered for resilience, it retains its charm and functionality even under heavy use, while its low maintenance requirements make it a practical and stylish choice for any busy outdoor space.



Offered in 02 Sizes | Sizes in mm (Length x Width x Height)

01-200x100x60


02-200x100x80

## Colours


Pearl Grey




Dusty Grey




Tiramisu




Cinnabar




Mushroom




Smoked Scarlet




Firebrick



Mellow Mocha




Raven




## Laying Pattern


Option 01



Option 02



Option 03




## Applications

Walkway/Foothpath/Sidewalks | Cycle Track | Front-Yard/Back-Yard | Porch | Patio  
 Driveway | Residential/Society Streets | Parking Area | Shopping Complex/Commercial Plaza  
 Gardens | Open Spaces/Courtyards | Borders & Accents | Parks/Recreational

## Key Features

- Two Layer Concrete Structure
- Geometric Stone Shape
- Facing Layer With Exclusive Raw Material
- Hydrophobic Surface
- Sealed Surface with CleanCrete
- Designed in Shaded Colour Image

## Technology



# Quadra™ - Classic

The Quadra Classic paver offers multiple design possibilities due to its square shape, making it ideal for both large and small areas. It is primarily used as accents and borders, adding a touch of elegance to any space. Easy to install, the classic square-shaped paver ensures a seamless and efficient setup, making it a versatile and practical choice for a variety of outdoor applications.



Offered in 02 Sizes | Sizes in mm (Length x Width x Height)

01-200x200x60


02-100x100x60

## Colours

Soft Grey



Light Charcoal




Dark Charcoal




Void Black




Beige Grey



Oasis Beige



Redwood




Dark Brown




## Laying Pattern

Option 01



Option 02




## Applications

Walkway/Footpath/Sidewalks | Driveway | Parking Areas | Patio  
Residential/Society Streets Gardens | Open Spaces/Courtyards  
Borders and Accents | Site Setbacks | Parks/Recreational Areas

## Key Features

- Two Layer Concrete Structure
- Geometric Stone Shape
- Even Surface Texture
- Plain Colouring
- Facing Layer with Exclusive Raw Material
- Classic Timeless Design

## Technology



# Quadra™ - Premier

The Quadra Premier is a classic square paver known for its refined surface and long-lasting textures. It effortlessly complements the colors of all other products, providing a harmonious and aesthetically pleasing integration. Its multiple design possibilities offer great versatility for various applications. The unique ColorScape feature enhances its appeal, making it a premier choice in hardscaping. With its durable and timeless look, the Quadra Premier stands out as an exceptional product in both form and function.



Offered in 02 Sizes | Sizes in mm (Length x Width x Height)

01-200x200x60


02-100x100x60

## Colours


Pearl Grey




Dusty Grey




Tiramisu



Firebrick



Mellow Mocha




Raven




## Laying Pattern

Option 01



Option 02




## Applications

Walkway/Foothpath/Sidewalks | Front-Yard/Back-Yard | Porch | Driveway | Pato  
Residential/Society Streets | Parking Area | Shopping Complex/Commercial Plaza  
Gardens | Open Spaces/Courtyards | Borders & Accents | Parks/Recreational

## Key Features


- Two Layer Concrete Structure
- Geometric Stone Shape
- Facing Layer With Exclusive Raw Material
- Hydrophobic Surface
- Sealed Surface with CleanCrete
- Designed in Shaded Colour Image

## Technology



# Hexz™ - Classic


The robust and contemporary, Hexagonal paver utilizes the natural balance of its geometric shape to endure and distribute heavy traffic loads across industrial and commercial applications alike. The product delivers a homogeneous visual appearance that is also universally accessible.




Sizes in mm | (Length x Width x Height)

01-200x200x70

## Colours



## Laying Pattern




## Applications

Walkway/Footpath/Sidewalks | Cycle Track | Front-Yard/Back Yard |  
Swimming Pool | Driveway | Porch | Parking Area | Residential/Society Streets  
Shopping Complex/Commercial Plaza | Gardens | Open Spaces/Courtyards  
Border and Accents | Parks/Recreational Area | Patio | Site Setbacks

## Key Features

- Two Layer Concrete Structure
- Geometric Stone Shape
- Even Surface Texture
- Plain Colouring
- Facing Layer with Exclusive Raw Material
- Classic Timeless Design

## Technology



# Hexz™ - Premier


The Hexz-Premier paver creates a contemporary, homogeneous textile-like appearance to satisfy the aesthetic and performance needs of driveways. Well-suited for specific applications like ambulance navigation with minimized rolling jerks for a safe and elevated drive, it is available in long-lasting colours and shades to render a sharp aesthetic that endures and shines in its refined finish, while continuing to manage large volumes of traffic.




Sizes in mm | (Length x Width x Height)

01-200x200x70

## Colours



## Laying Pattern




## Applications

Walkway/Footpath/Sidewalks | Cycle Track | Front-Yard/Back-Yard | Driveway  
Swimming Pool | Porch | Parking Area | Residential/Society Streets | Site Setbacks  
Shopping Complex/Commercial Plaza | Gardens | Open Spaces/Courtyards  
Patio | Border & Accents | Parks/Recreational Areas

## Key Features

- Two Layer Concrete Structure
- Geometric Stone Shape
- Facing Layer With Exclusive Raw Material
- Hydrophobic Surface
- Sealed Surface with CleanCrete
- Designed in Shaded Colour Image

## Technology



# Uni

The standard jagged paver, UNI is an allrounder that excels with its robust geometry and easy to clean surface. Used for heavy duty applications such as petrol pumps, toll plazas and industrial warehouses, the product is easy to install across all industrial and commercial applications.



Sizes in mm | (Length x Width x Height)

01-225x112.5x80

## Colours


Soft Grey



Void Black




Redwood




## Laying Pattern


Option 01



Option 02



Option 03



## Applications


Industrial and Heavy Duty/Application | Parking Area

Site Setbacks | Driveway

## Key Features

- Two Layer Concrete Structure
- Even Surface Texture
- Plain Colouring
- Facing Layer with Exclusive Raw Material
- Classic Timeless Design

## Technology





# Cobble Stones

# CorbuCobble®

The CorbuCobble stone pavers craft patterns that resemble finely weaved tapestries, regaling memories of the old-world stone paved streets. Installed as a combination of four 'brick-sized' pavers, the round edges of the CorbuCobble stone elevate the vernacular charm of pathways that create style statements in residences, apartments, and resorts.



## Combination of 04 Stones | Sizes in mm (Length x Width x Height)

01-232.75x133x60


02-199.5x133x60

03-166.25x133x60


04-133x133x60

## Colours


Blush Grey



Tiramisu



Firebrick



Earthen Mist



Twilight Grey



Subtle Ash




Raven




## Laying Pattern


Option 01




Option 02



Option 03



Option 04




## Applications

Walkway/Foothpath/Sidewalks | Driveway | Front-Yard/Back-Yard  
 Parking Area | Gardens | Open Spaces/Courtyards | Patio  
 Parks/Recreational Areas

## Key Features

- Two Layer Concrete Structure
- Natural Stone Shape
- Facing Layer with Exclusive Raw Material
- Hydrophobic Surface
- Design in a Rustic Natural Stone Look
- Shaded Colour Image
- Sealed Surface with CleanCrete
- Embossed Surface

## Technology



# PianoPebble®

PianoPebble is a versatile and visually appealing product that incorporates rough-cut pebbles to evoke the charm and nostalgia of European village streets. Its Colour Scape feature artfully blends colors to revive old-world charm. Perfect for walkways, garden features, and site setbacks, PianoPebble enhances the aesthetic appeal of spaces such as restaurants, farmhouses, resorts, and hotels. This product seamlessly combines timeless elegance with modern resilience, making it the ideal choice for any landscaping project.




## Combination of 08 Stones | Sizes in mm (Length x Width x Height)

01-104.6x148.7x60	02-101.4x121.2x60	03-105.2x150x60	04-84.7x138.3x60
05-94.9x15.31x60	06-89x161.3x60	07-100.1x136.9x60	08-103.6x141.3x60

## Colours



## Laying Pattern





## Applications

Walkway/Foothpath/Sidewalks | Driveway | Front-Yard/Back-Yard  
 Parking Area | Gardens | Open Spaces/Courtyards | Patio  
 Parks/Recreational Areas | Borders and Accents

## Key Features

- Two Layer Concrete Structure
- Organic Stone Shape
- Facing Layer with Exclusive Raw Material
- Hydrophobic Surface
- Curved Surface Texture
- Shaded Colour Image
- Sealed Surface with CleanCrete
- Permeable - Optional

## Technology



## PROMOTING GREEN SPACES WITH PERMEABLE SURFACES

Concrete pavements contribute to sustainable infrastructure through durability, responsible sourcing, and efficiency, key sustainability features include:

**Stormwater Management:** Reduce surface runoff, easing stormwater system strain and preventing flooding.

**Groundwater Recharge:** Facilitate water absorption, replenishing local aquifers.

**Pollution Reduction:** Filter pollutants, improving water quality and protecting ecosystems.

**Temperature Regulation:** Lower surface temperatures, mitigating urban heat island effects.

**Improved Drainage:** Prevent standing water, reducing ice hazards in colder climates.


**Enhanced Landscaping:** Support healthy vegetation growth by allowing root access to water and nutrients.

**Durability:** Long-lasting, withstands heavy loads and traffic while maintaining permeability.

**Aesthetics:** Available in various colors, shapes, and textures, offering design flexibility.

**Regulatory Compliance:** Meets stormwater management regulations and promotes sustainability.

**Community Engagement:** Demonstrate commitment to sustainability, fostering pride and stewardship.






# Permeable & Grass Pavers

# AquaAldo™ – Classic


Introducing AquaAldo Classic, Istaka's flagship permeable paver, a groundbreaking solution for storm-water management designed for heavy traffic industrial, commercial, and institutional use. Unique in the country, AquaAldo addresses the increasing need for enhanced ground permeability and efficient storm-water management while being as durable as Istaka's conventional pavers. With pavers that are 100 mm thick and an aspect ratio (length divided by thickness) of 3, AquaAldo provides exceptionally strong and sustainable permeable pavement, making it the ideal choice for modern infrastructure needs.



Sizes in mm | (Length x Width x Height)


01-285x190x100

## Colours




## Laying Pattern

Option 01



Option 02




## Applications

Driveway | Residential/Society Streets | Parking Area |  
Gardens | Open Spaces/Courtyards | Parks/Recreational  
Areas | Patio | Shopping Complex/Commercial Plaza

## Key Features


- Two Layer Concrete Structure
- Geometric Shape
- Even Surface Texture
- Facing Layer with Exclusive Raw Material
- Plain Colouring
- Highly Permeable

## Technology



# AquaAldo™ – Premier

Introducing AquaAldo, Istaka's flagship permeable paver, a groundbreaking solution for storm-water management designed for heavy traffic industrial, commercial, and institutional use. Unique in the country, AquaAldo addresses the increasing need for enhanced ground permeability and efficient storm-water management while being as durable as Istaka's conventional pavers. With pavers that are 100mm thick and an aspect ratio (length divided by thickness) of 3, AquaAldo provides exceptionally strong and sustainable permeable pavement, making it the ideal choice for modern infrastructure needs.



Sizes in mm | (Length x Width x Height)


01-285x190x100

## Colours




## Laying Pattern

Option 01



Option 02




## Applications

Driveway | Residential/Society Streets | Parking Area |  
Gardens | Open Spaces/Courtyards | Parks/Recreational  
Areas | Patio | Shopping Complex/Commercial Plaza

## Key Features

- Two Layer Concrete Structure
- High Permeability With Special Spacer Bars of 7mm
- Even Surface Texture
- Hydrophobic Surface
- Facing Layer with Exclusive Raw Material

## Technology



# SolStone®


Streets and driveways that use the SolStone pavers become modern, dynamic interpretations of old-world brick streets. Available in hues ranging from grey to brown and beige, the wide range of sizes provides options that frees designers from the limitations of traditional brick-laying patterns. With 12 different sizes, the round-edged SolStone Pavers operate with medium-traffic applications, making the aesthetically superior product suitable for large residences and a wide range of plazas and shopping experiences.




## Combination of 12 Stones | Sizes in mm (Length x Width x Height)

- 01-225x200x80    02-200x200x80    03-250x200x80    04-225x125x80    05-175x125x80
- 06-150x125x80    07-175x100x80    08-150x100x80    09-200x75x80    10-175x75x80
- 11-150x75x80    12-125x75x80

## Colours



## Laying Pattern




## Applications

- Walkway/Foothpath/Sidewalks | Front-Yard/Back-Yard | Driveway
- Parking Area | Residential/Society Streets | Shopping Complex/Commercial
- Plaza | Gardens | Open Spaces/Courtyards | Parks/Recreational | Patio

## Key Features

- Two Layer Concrete Structure
- Designed in Shaded Colour Image
- Facing Layer with Exclusive Raw Material
- Hydrophobic Surface
- Sealed Surface with CleanCrete

## Technology



# VolgaVista™


VolgaVista's strength lies in its innovative modular laying pattern, where carefully balanced size and proportion create a distinctive, unmatched design. The larger spacer size permits permeability or the integration of polymeric sand in varied colors, become an additional design feature. This versatility not only brings an environmentally conscious approach to your projects but also elevates the aesthetic appeal of outdoor spaces, making VolgaVista the perfect choice for embracing multiple design languages.




## Combination of 05 Stones | Sizes in mm (Length x Width x Height)

01-132x132x80    02-264x264x80    03-264x131x80    04-131x131x80    05-397x264x80

### Colours



### Laying Pattern




### Applications

Walkway/Footpath/Sidewalks | Front-Yard/Back-Yard | Swimming Pool  
 Driveway | Parking Area | Porch | Shopping Complex/Commercial Plaza  
 Gardens | Open Spaces/Courtyards | Parks/Recreational Areas | Patio

### Key Features

- Two Layer Concrete Structure
- Designed in Shaded Colour Image
- Facing Layer with Exclusive Raw Material
- Hydrophobic Surface
- Sealed Surface with CleanCrete

### Technology



# EcoGrit®

The EcoGrit permeable paver boasts a larger cobblestone appearance, imparting a rustic charm to any environment. It is available as a combination paver in four sizes, which can be arranged in two distinct patterns, offering exceptional design flexibility. This interlocking permeable pavement is meticulously engineered to facilitate the proper percolation of surface water into the ground, significantly reducing the risk and severity of flooding while eliminating puddles. This innovative design not only enhances aesthetic appeal but also ensures efficient and sustainable water management.



## Combination of 04 Stones | Sizes in mm (Length x Width x Height)

01-250x175x80


02-400x250x80

03-325x250x80


04-250x250x80

## Colours


Blush Grey




Tiramisu



Brandy Oak




Olive Cloud



Earthen Mist



Subtle Ash




Raven




## Laying Pattern

Option 01



Option 02



## Applications

Walkway/Foothpath/Sidewalks | Front-Yard/Back-Yard

Patio | Driveway | Parking Area | Residential/Society Streets



Gardens | Shopping Complex/Commercial Plaza

Open Spaces/Courtyards | Parks/Recreational

## Key Features

- Two Layer Concrete Structure
- Natural Stone Shape
- Facing Layer with Fine Mineral Chips
- Hydrophobic Surface
- Design in a Rustic Natural Stone Look
- Shaded Colour Image
- Sealed Surface with CleanCrete
- Embossed Surface
- High Permeability with Special Spacer Bars of 7mm

## Technology



# PianoPebble®

PianoPebble is a versatile and visually appealing product that incorporates rough-cut pebbles to evoke the charm and nostalgia of European village streets. Its Colour Scape feature artfully blends colors to revive old-world charm. Perfect for walkways, garden features, and site setbacks, PianoPebble enhances the aesthetic appeal of spaces such as restaurants, farmhouses, resorts, and hotels. This product seamlessly combines timeless elegance with modern resilience, making it the ideal choice for any landscaping project.




## Combination of 08 Stones | Sizes in mm (Length x Width x Height)

01-104.6x148.7x60	02-101.4x121.2x60	03-105.2x150x60	04-84.7x138.3x60
05-94.9x15.31x60	06-89x161.3x60	07-100.1x136.9x60	08-103.6x141.3x60

## Colours



## Laying Pattern





## Applications

Walkway/Foothpath/Sidewalks | Driveway | Front-Yard/Back-Yard  
 Parking Area | Gardens | Open Spaces/Courtyards | Patio  
 Parks/Recreational Areas | Borders and Accents

## Key Features

- Two Layer Concrete Structure
- Organic Stone Shape
- Facing Layer with Exclusive Raw Material
- Hydrophobic Surface
- Curved Surface Texture
- Shaded Colour Image
- Sealed Surface with CleanCrete
- Permeable - Optional

## Technology



# VerdeVista™

The linear grass paver is designed to create visually alternating lines of grass and concrete, allowing grass to grow with ease. This design not only facilitates water recharge to the ground, enabling efficient water harvesting, but also allows for the linear voids where grass grows to be filled with various types of aggregates, adding a secondary design element. This flexibility in design enhances the aesthetic appeal while maintaining environmental benefits.




**Sizes in mm** | (Length x Width x Height)

01-600x300x100


## Colours

Soft Grey




## Laying Pattern


Option 01



Option 02



Option 03




## Applications

Walkway/Foothpath/Sidewalks | Front-Yard/Back-Yard |  
Driveway Parking Area | Gardens | Open Spaces/Courtyards  
Patio | Parks/Recreational Areas

## Key Features


- Two Layer Concrete Structure
- Even Surface Texture
- Plain Colouring
- Facing Layer with Exclusive Raw Material
- High Permeability with 15mm Free Space

## Technology



# VerdeValerio™

This environmentally friendly hardscape product is a hollow rectangular paver designed to allow grass to grow through its center and edges due to its unique design and integrated spacers. This ensures you won't have to compromise the beauty of concrete with Mother Nature. The spacers provide sufficient space for grass to flourish and facilitate easy installation by maintaining consistent joint spacing between each paver, resulting in linear pattern that allow water to trickle directly through.




Sizes in mm | (Length x Width x Height)

01-490x245x100


## Colours

Soft Grey




## Laying Pattern


Option 01




Option 02



Option 03



Option 04



## Applications

Walkway/Footpath/Sidewalks | Front-Yard/Back-Yard


Driveway Parking Area | Gardens | Open Spaces/Courtyards

Patio | Parks/Recreational Areas

## Key Features

- Two Layer Concrete Structure
- Even Surface Texture
- Plain Colouring
- Facing Layer with Exclusive Raw Material
- High Permeability Central Hollow Space of 100mm, Special Spacer Bar of 30mm

## Technology






HD Pavers

# Alvaro HD™

Alvaro HD series of pavers enhance aesthetic appeal in high-density applications through a sophisticated high-density technique, providing a refined look suitable for any hardscape setting. Ideal for residential, commercial, farmhouse, and hospital environments, Alvaro HD offers both diversity and solidity.

These exceptionally dense pavers showcase a range of exposed aggregates, utilizing special raw materials in the face mix. They feature homogeneous grains, small contrasting grains, and coarse contrasting grains. Available in various sizes, these pavers can be arranged to create unique patterns and color combinations, significantly enhancing the visual appeal of any space.


The incorporation of UV-resistant color pigments in the face layer ensures the grains' brilliance remains fully visible. Alvaro HD expertly balances functionality with an elegant appearance, making it an outstanding choice for diverse multi-traffic applications.



Offered in a range of 12 Sizes | Sizes in mm (Length x Width x Height)

- 01-250x62.5x60    02-300x150x60    03-150x150x60    04-300x300x60    05-200x62.5x80
- 06-200x200x60    07-150x150x80    08-300x300x80    09-300x150x80    10-100x100x60
- 11-200x100x80    12-200x100x60

## Colours




## Applications

- Walkway/Foothpath/Sidewalks | Driveway | Residential/Society Streets
- Parking Area | Gardens | Open Spaces/Courtyards | Patio
- Parks/Recreational Areas | Shopping Complex/Commercial Plaza

## Key Features

- Two Layer Concrete Structure
- Highly Density Product Recommended For Commercial Use
- Even Surface Texture
- Hydrophobic Surface
- High Dense Facing Layer with Exclusive Raw Material
- Plain Colouring
- Blasted With Blastpro Technology

## Technology





# Slabs

# Gradieno®

Gradieno is a color-blended product ideally suited for pedestrian zones, featuring fewer joints which make it wheelchair-friendly. It is perfect for public projects and commercial entrances where pedestrian movement is maximum. Gradieno completes the design language when used alongside other color-blended products, offering a seamless and visually appealing solution for various applications.




**Offered in 02 Sizes** | Sizes in mm (Length x Width x Height)

01-600x600x60


02-600x160x50

## Colours




## Laying Pattern

600x600 Option 01



600x600 Option 02




## Applications

Walkway/Foothpath/Sidewalks | Cycle Track | Front-Yard/Back-Yard  
Swimming Pool | Porch | Gardens | Open Spaces/Courtyards  
Parks/Recreational Areas | Terraces | Patio

## Key Features

- Two Layer Concrete Structure
- Geometric Stone Shape
- Subtle Colouring
- Hydrophobic Surface
- Sealed Surface With CleanCrete
- Facing Layer With Fine Mineral Chips

## Technology



# Tactile

Istaka's tactile slabs, including the Tactile Directional and Tactile Warning Slabs, aid visually impaired pedestrians and wheelchair users. The Tactile Directional Slab, with flat-topped bars, guides users through boundaries and contrasting surfaces in covered and uncovered pathways, ideal for urban scenarios and wayfinding in malls. The Tactile Warning Slab, with flat-topped 'blisters' in a square pattern, alerts users to edges in urban and open environments, enhancing safety in ramps and crossings. These slabs ensure all spaces are disabled-friendly, exceeding standard accessibility applications.




Sizes in mm | (Length x Width x Height)

01-300x300x60

## Colours



Soft Grey



Oasis Beige




## Technology




## Key Features


01. Segregated shared cycle track/footway surface & central delineator strip




02. Blister surface at an inline controlled crossing point




03. Blister surface at an inline uncontrolled crossing point




04. The corduroy surface at top and bottom of flight of steps



05. Platform edge (on street) warning surface



06. Platform edge (off street) warning surface



# COLLABORATING WITH ARCHITECTS



## PRODUCT EDUCATIONAL RESOURCES

Comprehensive product details, installation guidelines, and examples of successful projects are provided to support understanding and application. These resources facilitate seamless integration and optimize the performance of Istaka's products across various environments.

## PRODUCT SAMPLES

Tangible samples are available for architects and clients to experience the quality and finish of products first-hand. This tactile experience plays a key role in the decision-making process, ensuring satisfaction with the final material choices.

## COLLABORATIVE DESIGN

Istaka fosters collaboration with architects to blend creative concepts with practical solutions. By providing support such as CAD drawings and 3D models, Istaka helps architects seamlessly incorporate these materials into their designs, enhancing both aesthetics and functionality.

## CUSTOMIZATION OPTIONS


Istaka offers tailored solutions to meet unique design requirements, helping architects bring their creative visions to life. This flexibility enables innovative, customized project outcomes that reflect the specific needs and aspirations of the client.





Architecture should speak  
of its time and place, but  
yearn of timelessness

FRANK GEHRY



# VERTICALS

## Garden & Retaining Wall

WalterWall™  
RossiRock™  
Kenzoko®

---

## Coping

Standard Coping  
Fullnose Coping

---

## Steps

SamuelStep™



# Garden & Retaining Walls

# WalterWall™

The WalterWall concrete block, featuring a sharp and modern appearance, is perfect for garden features. It is commonly used to retain soil, create levels, and design bedding areas, making it a versatile choice for garden landscapes.




**Combination of 04 Stones** | Sizes in mm (Length x Width x Height)

01-400x200x100   02-300x200x100   03-200x200x100   04-100x200x100

## Colours

Void Black



Dark Brown



Dark Charcoal





Redwood



## Applications

Walkway/Foothpath/Sidewalks | Residential/Society Streets | Gardens  
Patio | Open Spaces/Courtyards | Swimming Pool | Parks/Recreational  
Areas | Shopping Complex/Commercial Plaza

## Technology



## Key Features

- Shaded Color Image
- Geometric Shape

# RossiRock™

The RossiRock concrete block features a hand-chiseled, old-world appearance designed to blend seamlessly with the natural landscapes of farmhouses and resorts. Produced in a weathered shade, this block is frequently used to create a rustic look in free-standing garden walls and small retaining walls, making it ideal for all farmhouse and landscape related applications.



Offered in a range of 04 Sizes | Sizes in mm (Length x Width x Height)


01-400x200x100   02-300x200x100   03-200x200x100   04-100x200x100

## Colours

Void Black




Dark Brown



Dark Charcoal



Redwood



## Applications

Walkway/Foothpath/Sidewalks | Residential/Society Streets | Gardens  
Shopping Complex/Commercial Plaza | Open Spaces/Courtyards  
Patio | Parks/Recreational Areas | Swimming Pool


## Key Features

- Designed In Rustic Natural Stone Look
- Shaded Colour Image

## Technology



/Tumbled



/Hydrophobic

# Kenzoko®

Retaining walls systems built using the Kenzoko act as strong privacy and noise barriers when they are used to create raised planter boxes and other soft barrier applications within hardscapes and landscapes. The diagonal surface fluting and bevel edged joints add to the aesthetic value by making the surface appearance look different from every angle, resulting in new effects created by an interplay of light and shadow. With a matching end stone to close the wall created with the two other sizes, the Kenzoko wall systems are a perfect blend of creative engineering and sharp aesthetics.




## Combination of 02 Stones | Sizes in mm (Length x Width x Height)

01-600x150x252


02-300x150x152

### Colours


Cafe Creme




Whispering Sand




Silken Taupe




Tiramisu



Mushroom




Earthen Mist



Twilight Grey



Subtle Ash



Raven



### Applications

Walkway/Foothpath/Sidewalks | Residential/Society


Streets | Gardens Shopping Complex/Commercial Plaza

Open Spaces/Courtyards | Patio Parks/Recreational Areas

### Key Features

- Two Layer Concrete Structure
- Geometric Stone Shape
- Shaded Colour Image
- Hydrophobic Surface
- Sealed Surface With CleanCrete
- Facing Layer With Fine Mineral Chips
- Embossed Surface

### Technology






Coping

# Standard Coping

Standard Coping acts as a protective cap for retaining walls, stone steps, or pool edges, providing both a polished finish and functional benefits. It is available in various finishes, cuts, and colors, which enhances the overall design of hardscaping projects. Functionally, coping can turn walls into seating areas, improve foot traffic on steps. Proper installation ensures effective drainage, preventing water buildup and subsequent mold growth. By blending safety and aesthetics, coping complements diverse design styles and enhances the appeal of poolscapes.



Sizes in mm | (Length x Width x Height)

01-600x300x50

## Colours

Gunmetal



Thunderstorm




Toffee



## Applications


Swimming Pool | Retaining Walls | Garden Walls |  
Steps | Deck | Any Vertical Features

## Technology



# Fullnose Coping

Istaka's durable fullnose coping, featuring a classic finish, provides the ideal rounded edge for pools, steps, and walls. These stones, with their rounded edges and geometric shapes, are perfectly suited for applications in farm-houses, gardens, and various landscaped areas. Furthermore, pool coping effectively prevents debris from entering, supports mechanical components, and ensures safety with its smooth, non-slip surfaces.




**Sizes in mm** | (Length x Width x Height)

01-304.8x150x60

## Colours

Void Black



Dark Brown



Dark Charcoal




## Applications


Swimming Pool | Retaining Walls | Garden Walls | Steps

Deck | Any Vertical Features

## Technology



/Classic



/Hydrophobic



Steps

# SamuelStep™

The SamuelStep concrete block step is an essential landscape element. Manufactured using the same process as our pavers, these custom-made blocks ensure a harmonious hardscaping setting. The anti-skid tread provides a safe ascent for users, while the option to install lights beneath the lip of the steps illuminates the way for foot traffic at night. SamuelStep guarantees a perfect step change, blending elegance with robustness in its versatile applications. Depending on their positioning, these steps offer complete design freedom, seamlessly integrating into any landscape. For maintenance, sweep or blow away leaves, uproot weeds, clear moss, and wash with mild soap and water, avoiding harsh chemicals.




Sizes in mm | (Length x Width x Height)


01-600x375x150

## Colours


Tiramisu




Mellow Mocha



Subtle Ash




Raven




## Applications

Walkway/Foothpath/Sidewalks | Residential/Society Streets | Patio  
Shopping Complex/Commercial Plaza | Open Spaces/Courtyards  
Swimming Pool | Parks/Recreational Areas | Gardens

## Technology





# EDGING & MORE

## Garden Edge

StoneSke®

## Kerbs and Dished Channels

- Half Batter Kerb
- Bull Nose
- Splay
- Flush
- L Profile
- Dropper L to R
- Dropper R to L
- Offlet
- Dished Channel
- Down Stream

## Drain Covers

Water Drain



Garden Edge

# StoneSke®

StoneSke is an essential hardscaping feature that provides practical and aesthetic division between a garden and adjacent lawns or pathways. It creates clear, well-defined boundaries that impart order and sophistication, making the garden easier to maintain.

Beyond its decorative role, edging plays a crucial part in landscape design, preventing soil erosion, retaining mulch, deterring pests and weeds, and facilitating efficient lawn maintenance. It also helps in conserving water by directing flow to where it's needed most. Strategically integrating garden edging enhances the overall appearance, promotes plant health, and can significantly increase property value



Sizes in mm | (Length x Width x Height)

01-165x115x300

## Colours

Void Black




Dark Brown



Dark Charcoal



Redwood




## Applications

Boundary within a garden or landscape

## Technology

 /Classic

 /Hydrophobic






# Kerbs and Dished Channels

# Half Batter Kerb

Half Batter Kerbs are raised edges or barriers positioned at the sides of roadways to deflect traffic back onto the carriageway. Istaka's Half Battered Kerbs use their long chamfered shape to deflect vehicular traffic and drain incident water back onto the carriageway. Typically used in multi-lane driveways and highways, the twelve available sizes, from large to small, help urban designers use the products for straight paths and curved edges alike.



**Offered in a range of 15 Sizes** | Sizes in mm (Length x Width x Height)

- 01-914x300x100    02-914x300x125    03-914x300x150    04-600x450x100    05-600x450x125
- 06-600x450x150    07-600x300x100    08-600x300x125    09-600x300x150    10-500x450x100
- 11-500x450x125    12-500x450x150    13-500x300x100    14-500x300x125    15-500x300x150


## Colours



## Applications


Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

## Technology



# Bull Nose

Bull Nose Kerbs provide a practical edge restraint in pedestrian and vehicular applications. With a small edge curve, Istaka's Bullnose kerbs help drivers and pedestrians register a tactile shift as they transition from a carriageways area to a private driveway or a footpath. Selected from a range of twelve sizes, the Bull-Nose kerb is widely recommended for use in urban applications.



**Offered in a range of 12 Sizes** | Sizes in mm (Length x Width x Height)

- 01-600x450x100    02-600x450x125    03-600x450x150    04-600x300x100    05-600x300x125
- 06-600x300x150    07-500x300x100    08-500x300x125    09-500x300x150    10-500x450x100
- 11-500x450x125    12-500x450x150


## Colours



## Applications


Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

## Technology



# Splay

Splay kerbs allow for a restraint between pedestrian and vehicular applications. The edge shape of the Splay is designed to allow access to vehicular traffic to drive over itself when necessary. To ensure safety, the splay kerb is used in applications when a footpath is not present. Typically Splay Kerbs provide emergency vehicular access to landscapes bordering carriageways or other similar usages.



**Offered in a range of 12 Sizes** | Sizes in mm (Length x Width x Height)

- 01-600x450x100
- 02-600x450x125
- 03-600x450x150
- 04-600x300x100
- 05-600x300x125
- 06-600x300x150
- 07-500x300x100
- 08-500x300x125
- 09-500x300x150
- 10-500x450x100
- 11-500x450x125
- 12-500x450x150

## Colours

Soft Grey




Dark Charcoal



## Applications


Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

## Technology



# Flush

A flush road kerb is a tactile edge restraint seen in pedestrian applications to allow for ease of mobility over its surface where required. At level with its surroundings, the flush kerb allows easy crossing for aged pedestrians, wheel-chair users and the visually impaired alike.




**Offered in a range of 03 Sizes** | Sizes in mm (Length x Width x Height)

- 01-500x300x100
- 02-500x300x125
- 03-500x300x150

## Colours

Soft Grey




Dark Charcoal



## Applications


Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

## Technology



# L Profile

L - Profile kerbs are raised edges or barriers positioned at the sides of roadways to deflect traffic back onto the carriageway. L- profile kerbs have a raised component combined with a flat compont, forming a trench that acts as a drain near the edge of the carriageway. The L - profile fits medium and heavy traffic applications in two thicknesses and is used for urban scenarios that combine a kerb and light drain as part of their needs.



**Offered in 02 Sizes** | Sizes in mm (Length x Width x Height)

01-500x300x125

02-500x300x150

## Colours

Soft Grey


Dark Charcoal



## Applications


Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

## Technology



# Dropper L to R

Available as solid, long precast profiles in three width, the Dropper L-R helps the half batter pavement kerb transition into a Bull-Nose profile to signal tactile transitions for vehicles into incoming driveways and carriageways.



**Offered in a range of 03 Sizes** | Sizes in mm (Length x Width x Height)

01-914x300-200x100

02-914x300-200x125

03-914x300-200x150

## Colours

Soft Grey


Dark Charcoal



## Applications


Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

## Technology



# Dropper R To L

Available as solid, long precast profiles in three widths, the Dropper R-L helps the half batter pavement kerb transition into a Bull-Nose profile to signal tactile transitions for vehicles into incoming driveways & carriageways.



Offered in a range of 03 Sizes | Sizes in mm (Length x Width x Height)

01-914x300-200x100


02-914x300-200x125

03-914x300-200x150

## Colours

Soft Grey


Dark Charcoal



## Applications


Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

## Technology



# Offlet Kerb

Offlet Kerbs provide a practical edge restraint in pedestrian and vehicular applications. Istaka's precast Offlet Kerbs, available in six sizes, suit varying carriageway widths to drain water away from the carriageways, directing water to other landscape features.



Offered in a range of 06 Sizes | Sizes in mm (Length x Width x Height)

01-600x300x100

02-600x300x125

03-600x300x150

04-500x300x100


05-500x300x125

06-500x300x150

## Colours

Soft Grey


Dark Charcoal



## Applications


Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

## Technology



# Dished Channel

Dished Channels combine with kerbs to direct water away from pavements and carriageways to keep pedestrian and vehicular applications unaffected. Available in five sizes, Istaks's precast Dished Channel suits a wide variety of applications to drain water away from the roads, footpaths and parking spaces.



**Offered in a range of 05 Sizes** | Sizes in mm (Length x Width x Height)

01-600x300x100


02-600x300x125

03-914x300x125

## Colours

Soft Grey


Dark Charcoal



## Applications


Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

## Technology



# Down Stream

Drains are placed on road edges at the sides of roadways to deflect surface drain-offs away from the carriageway. Available in 5 sizes, Downstream units are used to drain away the water where the dished profile is not desired.



**Size in mm** | (Length x Width x Height)

01-600x450x200-125

## Colours

Soft Grey


Dark Charcoal



## Applications

Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

## Technology






# Drain Covers

As an Architect you design for the present, with an awareness of the past, for a future which is essentially unknown  
-NORMAN FOSTER

# Water Drain

Water Drain R covers are robust and reliable, designed to fit seamlessly over drainage channels, reducing blockages and ensuring efficient water flow. Perfect for preventing overflow and maintaining clean, clear passageways in high-rainfall areas.



A

B

**Offered in a range of 08 Sizes** | Sizes in mm (Length x Width x Height)

- 01-600x450x80
- 02-600x450x100
- 03-600x600x100
- 04-600x600x150
- 05-900x600x100
- 06-900x600x150
- 07-914x300x100
- 08-914x300x150


### Colours



### Applications

Open Parkings | Driveways | Roads | Industrial Floor | Cycling Paths

### Technology





Hardscaping adds visual character to a space. The floor naturally draws attention as people move across it, making it an ideal surface for incorporating patterns, textures, and colors that create impact and convey meaning.

Pavements, as both space definers and communicators, can use design elements to delineate different zones and guide movement through the environment.



## ISTAKA LIMITED WARRANTY

Istaka offers a **Transferable Limited Guarantee** on the structural integrity of our concrete interlocking paving stones, slabs, and bespoke hardscape products for **domestic use**. Products installed and maintained according to our guidelines, under **light traffic conditions** and subject to normal wear, that are found to be structurally defective will be replaced at no cost. Please note that while we ensure product quality, **color matching is not guaranteed**, and **replacement labor costs are not included**.

### PROJECT REGISTRATION (COMING SOON)

To activate your guarantee, register your project by visiting [[istaka.com/guarantee](https://www.istaka.com/guarantee)] and completing the registration within **60 days** of your dated proof of purchase. Upon successful registration, you will receive a **Transferable Limited Guarantee Certificate** for your records, ensuring peace of mind for years to come.

## PARTNERING WITH THE RIGHT CONTRACTOR FOR EVERY JOB

Embarking on your project is an exciting journey, and at Istaka, we're here to support you every step of the way. In addition to offering a wide range of high-quality products, Designs we provide expert guidance throughout the process.

The quality of the base for your pavers is just as important as the pavers themselves. A solid foundation ensures lasting durability and flawless installation. To achieve this, a skilled contractor is essential. At Istaka, we understand that the key to a successful project lies in combining high-quality materials with the expertise needed to execute your vision flawlessly.





# LET'S CONNECT

We're Just a Message Away

**Corporate Office :**  
Express Towers, Nariman Point,  
Marine Drive, Mumbai, MH - 400021

**Correspondence & Regd. Office :**  
Simba House, 35/75, Punjabi Colony,  
Katora Talab, Raipur, C.G - 492001

+91 6269 0777 97  
connect@istakaindia.com  
www.istakaindia.com



@IstakaIndia/ @ Instagram, YouTube, Facebook, Pinterest, LinkedIn

istakaindia.com